

Material Safety Data Sheet



1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Product name: 5-Bromo-2'-deoxy-uridine Labeling and Detection Kit II
Product number: 1299964
Global material number: 11299964001
Business area: Roche Applied Sciences
Product line: Not applicable
Instrument type: Not applicable
Supplier: Roche Diagnostics Corporation
 9115 Hague Road
 Indianapolis, IN 46250
 Site Phone Number: 1-800-428-5074
Emergency telephone number:
 CHEMTREC:
 1-800-424-9300 (U.S. or Canada)
 1-703-527-3887 (International)

2. COMPOSITION/INFORMATION ON INGREDIENTS

Description 1: Bottles 1 and 5

Components	CAS Number	Weight %	OSHA PEL:	OSHA STEL:	ACGIH TLV:	ACGIH STEL:
Sodium azide	26628-22-8	0.1-<1	NA	NA	NA	0.11 ppm Ceiling 0.29 mg/m ³ Ceiling

Description 2: Bottle 6

Components	CAS Number	Weight %	OSHA PEL:	OSHA STEL:	ACGIH TLV:	ACGIH STEL:
Nitro blue tetrazolium chloride (NBT)	298-83-9	5 - 10	NA	NA	NA	NA
Dimethylformamide	68-12-2	70 - 80	30 mg/m ³ 10 ppm prevent or reduce skin absorption	NA	10 ppm Skin - potential significant contribution to overall exposure by the cutaneous route	NA

Description 3: Bottle 7

Components	CAS Number	Weight %	OSHA PEL:	OSHA STEL:	ACGIH TLV:	ACGIH STEL:
5-Bromo-4-chloro-3-indolyl phosphate, 4-toluidine salt	6578-06-9	5 - 10	NA	NA	NA	NA
Dimethylformamide	68-12-2	95-100	30 mg/m ³ 10 ppm prevent or reduce skin absorption	NA	10 ppm Skin - potential significant contribution to overall exposure by the cutaneous route	NA

Description 4: All other bottles

Components	CAS Number	Weight %	OSHA PEL:	OSHA STEL:	ACGIH TLV:	ACGIH STEL:
No hazardous components >1%, >0.1% carcinogen	NONE	N/A	NA	NA	NA	NA

3. HAZARDS IDENTIFICATION

Emergency Overview

- Dimethylformamide - The major effect of overexposure to this agent is liver toxicity. Causes liver, kidney, cardiovascular system and central nervous system disorders. The symptoms listed may be experienced by inhalation, ingestion, or skin absorption. May cause abdominal pain, loss of appetite, nausea, weakness, dizziness, headache, constipation, vomiting, diarrhea, increased blood pressure anxiety, and palpitations. A flushing of the face and skin may occur, especially with coincident ingestion of alcoholic beverages.

NFPA Ratings: Health= 2 Flammability= 2 Reactivity= 0 Special= T, I

Special Definitions: A=Allergen CA=Carcinogen CO=Corrosive F=Flammable H=Harmful I=Irritant Ox=Oxidizer PB=Potential Biohazard R=Reproductive S=Sensitizer T=Toxic T+=Highly Toxic W=Water Reactive

Principle routes of exposure: Ingestion, inhalation, skin absorption, skin and/or eye contact.

Inhalation: Avoid breathing vapors or mists. Irritating to respiratory system.

Ingestion: Ingestion may cause injuries to gastrointestinal tract, liver, kidneys and central nervous system.

Skin contact: May be absorbed through the skin in harmful amounts. Contact causes skin irritation. Chronic exposure may cause dermatitis.

Eye contact: Severe eye irritation. May cause blurred vision.

Sensitization or Odor threshold: The following chemical(s) may cause sensitization, be absorbed via skin, and/or has an odor threshold for detection:

Components	ACGIH - Sensitizer Designation:	Germany (DFG) - Skin/Sensitizers:	Switzerland - Sensitizers:	AIHA - Odor Threshold Values:
Dimethylformamide				no geometric mean air odor threshold

Components	ACGIH - Sensitizer Designation:	Germany (DFG) - Skin/Sensitizers:	Switzerland - Sensitizers:	AIHA - Odor Threshold Values:
Dimethylformamide				no geometric mean air odor threshold

Medical conditions aggravated by exposure: Persons with pre-existing skin, eye, nervous system disorders, impaired liver, kidney, or pulmonary function may be more susceptible to the effects of this substance.

Additional information: None

4. FIRST AID MEASURES

Inhalation: Consult a physician. Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Skin contact: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Ingestion: Call a physician immediately. Do not induce vomiting without medical advice. Drink 1 or 2 glasses of water.

Eye contact: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Notes to physician: None determined

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Use dry chemical, CO₂, water spray or "alcohol" foam.

Unusual hazards: Combustible material.

Special protective equipment for firefighters: In the event of fire, wear self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Use personal protective equipment. Evacuate personnel to safe areas. Remove all sources of ignition.

Environmental precautions: Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. Do not let product enter drains.

Methods for cleaning up: Never return spills in original containers for re-use. Soak up with oil absorbent material. Sweep up or vacuum (if powder) or soak up with inert absorbent material (if liquid), then place into a suitable clean, dry, closed container, and label for disposal.

7. HANDLING AND STORAGE

Handling: Protect from contamination. Wear personal protective equipment.

Storage: Keep containers dry and tightly closed to avoid moisture absorption and contamination.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures: Ensure adequate ventilation.

Personal Protective Equipment

Respiratory protection:	Respiratory protection is not required under normal use of this product. If respiratory protection is needed, follow the OSHA regulation, 29CFR1910.134. Always use a NIOSH approved respirator when necessary.
Hand protection:	Wear appropriate protective gloves to prevent skin contact. Replace torn or punctured gloves promptly.
Skin and body protection:	Wear appropriate body protection to prevent skin contact.
Eye protection:	Wear appropriate eye protection to prevent eye contact.
Hygiene measures:	When using, do not eat, drink or smoke. Keep away from food and drink. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Boiling point/range:	No information available
Melting point/range:	Not determined
Physical state:	Liquid.
Solubility in water:	Soluble.
Autoignition temperature:	440 C (for DMF)
Flash point:	>58C/136F (for DMF)
LEL (%):	2.2 (for DMF)
UEL (%):	16 (for DMF)

10. STABILITY AND REACTIVITY

Stability:	Stable under recommended storage conditions.
Polymerization:	None under normal processing.
Hazardous decomposition products:	Thermal decomposition can lead to release of irritating gases and vapours. Nitrogen oxides (nox). Carbon monoxide. Ammonia gas may be liberated at high temperatures. Carbon oxides. Hydrogen chloride.
Materials to avoid:	Bromine. Carbon tetrachloride. Strong oxidising agents. Strong acids. Strong bases. Halogenated compounds. Alkali metals.

11. TOXICOLOGICAL INFORMATION

Components	NIOSH - Selected LD50s and LC50s:	NIOSH Pocket Guide - Target Organs:
Sodium azide	=20 mg/kg Dermal LD50 Rabbit	eyes skin CNS CVS kidneys

Components	NIOSH - Selected LD50s and LC50s:	NIOSH Pocket Guide - Target Organs:
Nitro blue tetrazolium chloride (NBT)	=2 g/kg Oral LD50 Mouse	liver kidneys CVS skin eyes respiratory system 500ppmIDLH
Dimethylformamide	=200 mg/kg Oral LD50 Rat	

Components	NIOSH - Selected LD50s and LC50s:	NIOSH Pocket Guide - Target Organs:
Dimethylformamide	=200 mg/kg Oral LD50 Rat	liver kidneys CVS skin eyes respiratory system 500ppmIDLH

Inhalation:	No additional data available
Skin:	No additional data available
Oral:	No additional data available
Mutagenic effects:	No data is available on the product itself
Reproductive toxicity:	Dimethylformamide may cause harm to the unborn child. Dimethylformamide has been linked with miscarriages, fetal death, and female reproductive effects in humans; and is in an unconfirmed human reproductive hazard. DMF has been embryotoxic, fetotoxic, or teratogenic in several species of experimental animals. The actual human reproductive hazard is unknown (REPROTEXT System, 2004).

Components	IARC Group 1	IARC Group 2A or 2B	IARC Group 3 or 4	NTP	OSHA Select Carcinogens
Dimethylformamide			Monograph 71 [1999] Monograph 47 [1989]		

Components	IARC Group 1	IARC Group 2A or 2B	IARC Group 3 or 4	NTP	OSHA Select Carcinogens
Dimethylformamide			Monograph 71 [1999] Monograph 47 [1989]		

12. ECOLOGICAL INFORMATION

Bioaccumulation: Not determined

Aquatic toxicity: No data is available on the product itself

Ecotoxicity effects: No data is available on the product itself

U.S. EPA, RCRA, CERCLA, SARA, or DGC information on persistent, bioaccumulative, and toxic chemicals (PBTs):
The following chemicals are listed under the U.S. EPA regulations of RCRA, CERCLA, SARA, or DGC:

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products: Waste disposal must be in accordance with appropriate Federal, State, and local regulations. This product, if unaltered by use, may be disposed of by treatment at a permitted facility or as advised by your local hazardous waste regulatory authority. Residue from fires extinguished with this material may be hazardous.

14. TRANSPORT INFORMATION

Is product hazardous to ship? Yes.
Component(s) hazardous to ship: Bottle 7

DOT

Proper shipping name: N,N-Dimethylformamide			
UN Number: UN 2265	Hazard class: 3	Subsidiary risk: Not applicable	Packing group: III

ICAO/IATA

Proper shipping name: N,N-Dimethylformamide			
UN Number: UN 2265	Hazard class: 3	Subsidiary risk: Not applicable	Packing group: III

15. REGULATORY INFORMATION

U.S. Regulations:

U.S. CERCLA/SARA/TSCA Regulatory Information: The following chemicals are listed under the following TSCA/SARA/CERCLA lists. Refer to TSCA regulation if you need a definition for acronyms that may be shown in the TSCA Inventory field in the table below

Components	CERCLA/SARA 302 RQ and TPQ (40 CFR 355, App.A)	CERCLA/SARA 304 RQ (40 CFR Table 302.4)	SARA 313 Emission reporting	TSCA Inventory
Sodium azide	=500 lb TPQ This material is a reactive solid. The TPQ does not default to 10000 pounds for non-powder, non-molten, non-solution form	=454 kg final RQ	Listed	Present

Components	CERCLA/SARA 302 RQ and TPQ (40 CFR 355, App.A)	CERCLA/SARA 304 RQ (40 CFR Table 302.4)	SARA 313 Emission reporting	TSCA Inventory
Nitro blue tetrazolium chloride (NBT)				Present
Dimethylformamide		=100 lb final RQ	Listed	Present

Components	CERCLA/SARA 302 RQ and TPQ (40 CFR 355, App.A)	CERCLA/SARA 304 RQ (40 CFR Table 302.4)	SARA 313 Emission reporting	TSCA Inventory
5-Bromo-4-chloro-3-indolyl phosphate, 4-toluidine salt				Present
Dimethylformamide		=100 lb final RQ	Listed	Present

U.S. Clean Water Act (CWA)/ California Proposition 65: The following chemicals are listed under the CWA and/or California Proposition 65:

Canadian Regulations:

Product number: 1299964

Page 4 of 5

Product name: 5-Bromo-2'-deoxy-uridine Labeling and Detection Kit II

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Components	Canada - WHMIS: Classifications of Substances:
Sodium azide	D1A

16. OTHER INFORMATION

Reason for revision: Not applicable
References: None.
Additional advice: None
Prepared by: Roche Diagnostics, Health & Safety Department, MSDS Contact: 317-521-7425 or 317-521-7505

The information, data and recommendations contained herein are based upon information believed by Roche Diagnostics Operations after reasonable investigation and research, to be accurate; however, Roche Diagnostics Operations does not warrant the accuracy of this information. All materials and mixtures may present unknown hazards and should be used with caution. When necessary or appropriate, independent opinions regarding the risk of handling or exposure should be obtained from trained professionals. Roche Diagnostics Operations disclaims any warranty against patent infringement and the implied warranties of merchantability and fitness for a particular purpose. Customer's sole and exclusive remedy shall be replacement of the product or return of the product and refund of the purchase price, at Roche Diagnostics Operations's option. In no case shall Roche Diagnostics Operations be liable for incidental or consequential damages, including lost profits.

End of Safety Data Sheet