

### 3.3 General references

1. Schwartzman, R. A. and Cidlowski, J. A. (1993) Apoptosis: the biochemistry and molecular biology of programmed cell death. *Endocrine Rev.* **14**, 133.
2. Vermes, I. and Haanan, C. (1994) Apoptosis and programmed cell death in health and disease. *Adv. Clin. Chem.* **31**, 177.
3. Berke, G. (1991) Debate: the mechanism of lymphocyte-mediated killing. Lymphocyte-triggered internal target disintegration. *Immunol. Today* **12**, 396.
4. Krähenbühl, O. and Tschopp, J. (1991) Debate: the mechanism of lymphocyte-mediated killing. Perforin-induced pore formation. *Immunol. Today* **12**, 399.
5. Van Furth, R. and Van Zwet, T. L. (1988) Immunocytochemical detection of 5-bromo-2-deoxyuridine incorporation in individual cells. *J. Immunol. Methods* **108**, 45. (CHECK THIS ONE OUT-page number showed as "4")
6. Cohen, J. J. (1993) Apoptosis. *Immunol. Today* **14**, 126.
7. Savill, J. S. et al. (1989) Macrophage phagocytosis of aging neutrophils in inflammation. Programmed cell death in the neutrophil leads to its recognition by macrophages. *J. Clin. Invest.* **83**, 865.
8. Wyllie, A. H. (1980) Glucocorticoid-induced thymocyte apoptosis is associated with endogenous endonuclease activation. *Nature* **284**, 555.
9. Leist, M. et al. (1994) Application of the Cell Death Detection ELISA for the Detection of Tumor Necrosis Factor-induced DNA Fragmentation in Murine Models of Inflammatory Organ Failure *Biochemica* **No. 3**, 18-20.
10. Fraser, A. and Evan, G. (1996) A license to kill. *Cell* **85**, 781-784.
11. Duke, R. C. (1983) Endogenous endonuclease-induced DNA fragmentation: an early event in cell-mediated cytotoxicity. *Proc. Natl. Acad. Sci. USA* **80**, 6361.
12. Duke, R. C. & Cohen, J. J. (1986) IL-2 addiction: withdrawal of growth factor activates a suicide program in dependent T cells. *Lymphokine Res.* **5**, 289.
13. Trauth, B. C. et al. (1994) *Eur. J. Cell. Biol.* **63**, **32**, Suppl 40.
14. Matzinger, P. (1991) The JAM test. A simple assay for DNA fragmentation and cell death. *J. Immunol. Methods* **145**, 185.
15. Kaeck, M. R. (1993) Alkaline elution analysis of DNA fragmentation induced during apoptosis. *Anal. Biochem.* **208**, 393.
16. Prigent, P. et al. (1993) A safe and rapid method for analyzing apoptosis-induced fragmentation of DNA extracted from tissues or cultured cells. *J. Immunol. Methods* **160**, 139.
17. Huang, P. & Plunkett, W. (1992) A quantitative assay for fragmented DNA in apoptotic cells. *Anal. Biochem.* **207**, 163
18. Bortner, C. D. et al. (1995) *Trends Cell Biol.* **5**, 21.
19. Gold, R. et al. (1994) Differentiation between cellular apoptosis and necrosis by the combined use of in situ tailing and nick translation techniques. *Lab. Invest.* **71**, 219.
20. Sgonc, R. et al. (1994) Simultaneous determination of cell surface antigens and apoptosis. *Trends Genet.* **10**, 41-42.
21. Darzynkiewicz, Z. et al. (1994) Assays of cell viability: discrimination of cells dying by apoptosis. *Methods Cell Biol.* **41**, 15.
22. Darzynkiewicz, Z. et al. (1992) Features of apoptotic cells measured by flow cytometry. *Cytometry* **13**, 795.
23. Duvall, E. et al. (1985) Macrophage recognition of cells undergoing programmed cell death (apoptosis). *Immunology* **56**, 351-358.

24. Savill, J. S. et al. (1993) Phagocyte recognition of cells undergoing apoptosis. *Immunol. Today* **14**, 131–136.
25. Asch, A. S. et al. (1987) Isolation of the thrombospondin membrane receptor. *J. Clin. Invest.* **79**, 1054–1061.
26. Fadok, V. A. et al. (1992) Exposure of phosphatidylserine on the surface of apoptotic lymphocytes triggers specific recognition and removal by macrophages. *J. Immunol.* **148**, 2207–2216.
27. Vermes, I. et al. (1995) A novel assay for apoptosis. Flow cytometric detection of phosphatidylserine expression on early apoptotic cells using fluorescein labelled Annexin V. *J. Immunol. Methods* **184**, 39.
28. Homburg, C. H. E. et al. (1995) Human neutrophils lose their surface Fc gamma RIII and acquire Annexin V binding sites during apoptosis in vitro. *Blood* **85**, 532.
29. Verhoven, B. et al. (1995) Mechanisms of phosphatidylserine exposure, a phagocyte recognition signal, on apoptotic T lymphocytes. *J. Exp. Med.* **182**, 1597.
30. Dive, C. et al. (1992) Analysis and discrimination of necrosis and apoptosis (programmed cell death) by multiparameter flow cytometry. *Biochem. Biophys. Acta* **1133**, 275.
31. Schmid, I. et al. (1994) Sensitive method for measuring apoptosis and cell surface phenotype in human thymocytes by flow cytometry. *Cytometry* **15**, 12.
32. Afanasev, V. N. et al. (1986) *FEBS Letts.* **194**, 347.
33. Ormerod, M. G. (1992) Apoptosis in interleukin-3-dependent haemopoietic cells. Quantification by two flow cytometric methods. *J. Immunol. Methods* **153**, 57.
34. Meyaard, L. et al. (1992) Programmed death of T cells in HIV-1 infection. *Science* **257**, 217.
35. Gavrieli, Y. et al. (1992) Identification of programmed cell death in situ via specific labeling of nuclear DNA fragmentation. *J. Cell. Biol.* **119**, 493.
36. Manning, F. C. R. and Patierno, S. R. (1996) Apoptosis: inhibitor or instigator of carcinogenesis? *Cancer Invest.* **14**, 455–465.
37. Stewart, B. W. (1994) Mechanisms of apoptosis: integration of genetic, biochemical, and cellular indicators. *J. Natl. Cancer Inst.* **86**, 1286–1296.
38. Ellis, H. M. and Horvitz, H. R. (1986) Genetic control of programmed cell death in the nematode *C. elegans*. *Cell* **44**, 817–829.
39. Yuan, J. Y. and Horvitz, H. R. (1990) The *Caenorhabditis elegans* genes *ced-3* and *ced-4* act cell autonomously to cause programmed cell death. *Dev. Biol.* **138**, 33–41.
40. Hentgartner, M. O., Ellis, R. E. and Horvitz, H. R. (1992) *Caenorhabditis elegans* gene *ced-9* protects cells from programmed cell death. *Nature* **356**, 494–499.
41. Baffy, G. et al. (1993) Apoptosis induced by withdrawal of interleukin-3 (IL-3) from an IL-3-dependent hematopoietic cell line is associated with repartitioning of intracellular calcium and is blocked by enforced Bcl-2 oncoprotein production. *J. Biol. Chem.* **268**, 6511–6519.
42. Miyashita, T. and Reed, J. C. (1993) Bcl-2 oncoprotein blocks chemotherapy-induced apoptosis in a human leukemia cell line. *Blood* **81**, 151–157.
43. Oltvai, Z. N., Millman, C. L. and Korsmeyer, S. J. (1993) Bcl-2 heterodimerizes in vivo with a conserved homolog, Bax, that accelerates programmed cell death. *Cell* **74**, 609–619.
44. Yonish-Rouach, E. et al. (1991) Wild-type p53 induces apoptosis of myeloid leukaemic cells that is inhibited by interleukin-6. *Nature* **352**, 345–347.
45. Bissonnette, R. P. et al. (1992) Apoptotic cell death induced by c-myc is inhibited by bcl-2. *Nature* **359**, 552–554.
46. Wagner, A. J., Small, M. B. and Hay, N. (1993) Myc-mediated apoptosis is blocked by ectopic expression of Bcl-2. *Mol. Cell. Biol.* **13**, 2432–2440.



47. Curnow, S. J. (1993) The role of apoptosis in antibody-dependent cellular cytotoxicity. *Cancer Immunol. Immunother.* **36**, 149.
48. Danks, A. M. et al. (1992) Cellular alterations produced by the experimental increase in intracellular calcium and the nature of protective effects from pretreatment with nimodipine. *Mol. Brain Res.* **16**, 168–172.
49. Kolber, M. A. et al. (1988) Measurement of cytotoxicity by target cell release and retention of the fluorescent dye bis-carboxyethyl-carboxyfluorescein (BCECF). *J. Immunol. Methods* **108**, 255–264.
50. Oldham, R. K. et al. (1977) Direct comparison of three isotopic release microtoxicity assays as measures of cell-mediated immunity to Gross virus-induced lymphomas in rats. *J. Natl. Cancer Inst.* **58**, 1061–1067.
51. Decker, T. and Lohmann-Matthes, M.-L. (1988) A quick and simple method for the quantitation of lactate dehydrogenase release in measurements of cellular cytotoxicity and tumor necrosis factor (TNF) activity. *J. Immunol. Methods* **15**, 61–69. (PubMed MedLine shows this as 115)
52. Martin, A. and Clynes, M. (1991) Acid phosphatase: endpoint for in vitro toxicity tests. *In Vitro Cell. Dev. Biol.* **27A**, 183–184.
53. Mosmann, T. R. (1983) Rapid colorimetric assay for cellular growth and survival: application to proliferation and cytotoxicity assays. *J. Immunol. Methods* **65**, 55.
54. Mosmann, T. R. and Fong, T. A. T. (1989) Specific assays for cytokine production by T cells. *J. Immunol. Methods* **116**, 151.
55. Sanderson, C. J. (1981) The mechanism of lymphocyte-mediated cytotoxicity. *Biol. Rev. Camb. Philos. Soc.* **56**, 153.
56. Keilholz, U. et al. (1990) A modified cytotoxicity assay with high sensitivity. *Scand. J. Clin. Lab. Invest.* **50**, 879.
57. Cook, J. A. and Mitchell, J. B. (1989) Viability measurements in mammalian cell system. *Anal. Biochem.* **179**, 1.
58. Roehm, N. W. et al. (1991) An improved colorimetric assay for cell proliferation and viability utilizing the tetrazolium salt XTT. *J. Immunol. Methods* **142**, 257.
59. Slater, T. F. et al. (1963) *Biochem. Biophys. Acta* **77**, 383.
60. Berridge, M. V. and Tan, A. S. (1993) Characterization of the cellular reduction of 3-(4,5-dimethylthiazol-2-yl)-2,5-diphenyltetrazolium bromide (MTT): subcellular localization, substrate dependence and involvement of mitochondrial electron transport in MTT reduction. *Arch. Biochem. Biophys.* **303**, 474.
61. Cory, A. H. et al. (1991) Use of an aqueous soluble tetrazolium/formazan assay for cell growth assays in culture. *Cancer Commun.* **3**, 207.
62. Jabbar, S. A. B. et al. (1989) The MTT assay underestimates the growth inhibitory effects of interferons. *Br. J. Cancer* **60**, 523.
63. Scudiero, E. A. et al. (1988) Evaluation of a soluble tetrazolium/formazan assay for cell growth and drug sensitivity in culture using human and other tumor cell lines. *Cancer Res.* **48**, 4827.
64. Vistica, D. T. et al. (1991) Tetrazolium-based assays for cellular viability: a critical examination of selected parameters effecting formazan production (published erratum appears in *Cancer Res.* 1991 Aug 15; 51 (16): 45et). *Cancer Res.* **51**, 2515.
65. Magaud, J. P. et al. (1988) Detection of human white cell proliferative responses by immunoenzymatic measurement of bromodeoxyuridine uptake. *J. Immunol. Methods* **106**, 95.
66. Porstmann et al. (1985) Quantitation of 5-bromo-2-deoxyuridine incorporation into DNA: an enzyme immunoassay for the assessment of the lymphoid cell proliferative response. *J. Immunol. Methods* **82**, 169.
67. Kontinen, Y. T. et al. (1988) An immunoperoxidase-autoradiography double labeling method for analysis of lymphocyte activation markers and DNA synthesis. *J. Immunol. Methods* **110**, 19.

68. Steel, G. G. (1977) In: *Growth Kinetics of Tumours*, Clarendon Press, Oxford, UK.
69. Takagi, S. et al. (1993) Detection of 5-bromo-2-deoxyuridine (BrdUrd) incorporation with monoclonal anti-BrdUrd antibody after deoxyribonuclease treatment. *Cytometry* **14**, 640.
70. Gerdes, J. et al. (1984) Cell cycle analysis of a cell proliferation-associated human nuclear antigen defined by the monoclonal antibody Ki-67. *J. Immunol.* **133**, 1710.
71. Hall, P. A. and Levison, D. A. (1990) Review: assessment of cell proliferation in histological material. *J. Clin. Pathol.* **43**, 184.
72. Hall, P. A. et al. (1990) Proliferating cell nuclear antigen (PCNA) immunolocalization in paraffin sections: an index of cell proliferation with evidence of deregulated expression in some neoplasms. *J. Pathol.* **162**, 285.
73. Kreipe, H. et al. (1993) Determination of the growth fraction in non-Hodgkin's lymphomas by monoclonal antibody Ki-S5 directed against a formalin-resistant epitope of the Ki-67 antigen. *Am. J. Pathol.* **142**, 1689.
74. Scott, R. J. et al. (1991) A comparison of immunohistochemical markers of cell proliferation with experimentally determined growth fraction (see comments). *J. Pathol.* **165**, 173.

